The Journal

OF THE

Royal Aeronautical Society

With which is incorporated The Institution of Aeronautical Engineers

A Monthly Illustrated Magazine devoted to all subjects connected with the Navigation of the Air.

EDITED FOR THE

COUNCIL OF THE ROYAL AËRONAUTICAL SOCIETY

BY

J. LAURENCE PRITCHARD, Hon. Fellow.

VOL. XXXII.

1928.

Printed by the Lewes Press, Ltd., High Street, Lewes, and published by the Royal Aëronautical Society, 7, Albemarle Street, Piccadilly, London, W.1.

605 V 32

THE JOURNAL

OF THE

ROYAL AERONAUTICAL SOCIETY

with which is incorporated The Institution of Aeronautical Engineers

INDEX TO VOL. XXXII.

ACCIDENTS.

French statistics of, *J.*, XXXII., 1928, April, p. 248.

AERODROMES.

Illuminating Engineering, J. W. T. Walsh (Abstract from *J. Inst. Elec. Eng.*, Aug., 1927), *J.*, XXXII., 1928, Feb., p. 153.

AERODYNAMICS.

Aerodynamics of a spinning sphere, John W. Maccoll, B.Sc., Ph.D., D.I.C., *J.*, XXXII., 1928, Sept., pp. 777-798.

Resistance of streamline wires, George L. De Foe (Summary, *N.A.C.A. Technical Note* No. 279), *J.*, XXXII., 1928, July, p. 624.

The importance of streamlining in relation to performance, Professor B. M. Jones (Summary of *R. & M.* No. 1115), *J.*, XXXII., 1928, July, p. 624.

The structure of vortex sheets, A. Fage and F. C. Johansen (Summary of *R. & M.* No. 1143), *J.*, XXXII., 1928, Nov., p. 959.

On the flow of a compressible fluid past an obstacle, Dr. H. Lamb (Summary of *R. & M.* No. 1156), *J.*, XXXII., 1928, Nov., p. 960.

Preliminary investigation on boundary layer control by means of suction and pressure with the U.S.A. 27 Airfoil (Summary of *N.A.C.A. Technical Note* No. 286), *J.*, XXXII., 1928, Nov., p. 959.

The connection between lift and circulation for an inclined flat plate, A. Fage and F. C. Johansen (Summary of *R. & M.* No. 1139), *J.*, XXXII., 1928, Nov., p. 959.

Deduction of the polar of a complete aeroplane from the polar of the principal supporting surface, M. Panetti (Abstract from IV. Int. Air Congress, Rome, 1927), *J.*, XXXII., 1928, Sept., p. 830.

The distribution of loads between the wings of a biplane having decalage, R. M. Mock (Abstract from *N.A.C.A. Technical Note* No. 269, Nov., 1927), *J.*, XXXII., 1928, March, p. 232.

Biplane investigation, J. H. Parkin, J. E. B. Shortt and J. G. Cave (Abstract from *Aeronautical Research Paper* No. 19, Sept., 1926), *J.*, XXXII., 1928, March, p. 234.

The theory of the Joukowsky profile, O. Schrenk (Abstract from *Z.F.M.*, 28/6/27), *J.*, XXXII., 1928, Feb., p. 144.

AEROFOILS, GENERAL.

The effect of compressibility on the lift of an aerofoil, H. Glauert, M.A. (Summary of *R. & M.* No. 1135), *J.*, XXXII., 1928, July, p. 625.

Full-scale and model measurements of the lift and drag of the Bristol Fighter with M.2 section wings, E. T. Jones and A. S. Hartshorn (Summary of *R. & M.* No. 1133), *J.*, XXXII., 1928, July, p. 624.

A high-speed wind channel for tests on aerofoils, T. E. Stanton, F.R.S. (Summary of *R. & M.* No. 1130), *J.*, XXXII., 1928, July, p. 625.

Systematic investigation of Joukowsky profiles (Abstract from *Z.F.M.* XVIII., 28/4/27), *J.*, XXXII., 1928, Sept., p. 824.

Determination of wing characteristics from flight performance (Abstract from *Comp. Rend.*, 28/3/27), *J.*, XXXII., 1928, Sept., p. 827.

Wind tunnel tests on aerofoil R.A.F. 36 (Summary of *R. & M.* No. 1147), *J.*, XXXII., 1928, Nov., p. 960.

Scale effect on three aerofoils at low values of *LV*, R.A.F. 32, Göttingen 433 and Göttingen 410, with 2 per cent. centre line camber (Summary of *R. & M.* No. 1117), *J.*, XXXII., 1928, Nov., p. 960.

Aerodynamic characteristics of aerofoils.—V. (Summary of *N.A.C.A. Report* No. 268), *J.*, XXXII., 1928, Nov., p. 960.

Wind tunnel tests on a R.A.F. 15 aerofoil with pilot planes (Summary of *R. & M.* No. 1145), *J.*, XXXII., 1928, Nov., p. 960.

Airfoil lift with changing angle of attack, E. G. Reid (Abstract from *N.A.C.A. Technical Note* No. 266, 1927), *J.*, XXXII., 1928, March, p. 231.

Systematic investigation of Joukowsky profiles, O. Schrenk (Abstract from *Z.F.M.*, 28/5/27), *J.*, XXXII., 1928, Feb., p. 146.

The increase of lift by blowing air along the suction side of a wing, Seewald (Abstract from 76th Report of the German Aerodynamical Inst., Berlin), *J.*, XXXII., 1928, Feb., p. 144.

New suction wing (Abstract from *Illustrierte Flugwoche*, 18/5/27), *J.*, XXXII., 1928, Feb., p. 143.

AEROFOILS, MODEL EXPERIMENTS.

The characteristics of the N.A.C.A. 97, Clark Y and N.A.C.A. M.6 Airfoils, with particular reference to the angle of attack, G. J. Higgins (Abstract from *N.A.C.A. Technical Note* No. 270, Dec., 1927), *J.*, XXXII., 1928, March, p. 232.

Airfoil lift with changing angle of attack, E. G. Reid (Abstract from *N.A.C.A. Technical Note* No. 266), *J.*, XXXII., 1928, Feb., p. 146.

AEROFOILS, WITH FLAPS.

The effect of a flap and ailerons on the N.A.C.A. M.6 Airfoil Section, G. J. Higgins and Eastman N. Jacobs (*N.A.C.A. Report* No. 260), *J.*, XXXII., 1928, Feb., p. 145.

AEROFOILS, WITH SLOTS.

Model experiments with rear slots and flaps on aerofoils R.A.F. 31 and R.A.F. 26, H. B. Irving, B.Sc., A. S. Batson, B.Sc., and A. L. Mardens (Summary of *R. & M.* No. 1119), *J.*, XXXII., 1928, July, p. 625.

The Handley Page slot in U.S.A. (Abstract from *Aeroplane*, 22/2/28), *J.*, XXXII., 1928, Sept., p. 829.

Automatic slot experiments and results, F. Handley Page, *J.*, XXXII., 1928, Aug., pp. 648-705.

Experiments with a new type of slotted wing, K. Willand (Abstract from *Z.F.M.*, 16/8/27), *J.*, XXXII., 1928, Feb., p. 145.

AERONAUTICAL EXHIBITION, INTERNATIONAL, and the Royal Aeronautical Society, *J.*, XXXII., 1928, Nov., p. 917.

AERONAUTICAL SOCIETY, ROYAL.

Special General Meeting, *J.*, XXXII., 1928, Jan., pp. 4-5.

Guggenheim Fund, Donation to Society by, *J.*, XXXII., 1928, Feb., p. 91.

President and Past-President, *J.*, XXXII., 1928, Feb., p. 92.

Committees and Representatives on other bodies, *J.*, XXXII., 1928, May, p. 337.

Election of President and Vice-President, *J.*, XXXII., 1928, May, p. 419.

AEROPLANES, GENERAL.

The alignment and inspection of components, R. C. Taylor, *J.*, XXXII., 1928, Aug., pp. 721-740.

Safety of aircraft (Abstract from *Bull. Tech.* No. 42, June, 1927), *J.*, XXXII., 1928, Sept., p. 829.

Safety devices in aircraft, M. L. Bramson, A.C.C.I., A.F.R.Ae.S., M.I.Ae.S., *J.*, XXXII., 1928, April, pp. 247-263.

The Aircraft Handbook, F. H. Colvin and H. F. Colvin (Summary of contents), *J.*, XXXII., 1928, July, p. 626.

AEROPLANES, COMPLETE MODEL EXPERIMENTS.

Air Force tests of Sperry Messenger Model with six sets of wings, J. M. Shoemaker (Abstract from *N.A.C.A. Report* No. 269, 1927), *J.*, XXXII., 1928, March, p. 229.

Pressure distribution tests on P.W.9 wing models showing effects of biplane interference, A. J. Fairbanks (Abstract from *N.A.C.A. Report* No. 271, 1927), *J.*, XXXII., 1928, March, p. 229.

Experiments with aeroplanes of the Canard type (Abstract from *Flugsport*, 14/3/28), *J.*, XXXII., 1928, Sept., p. 825.

Full-scale tests on the new N.A.C.A. wind tunnel (Abstract from *U.S. Air Services*, March, 1928), *J.*, XXXII., 1928, Sept., p. 825.

The use of the wind channel for performance predictions, R. K. Pierson, B.Sc., A.M.Inst.C.E., F.R.Ae.S., *J.*, XXXII., 1928, Feb., pp. 96-126.

Lift and drag of three model aeroplanes. Comparative tests in atmospheric and variable density wind tunnels at the same Reynolds number, H. C. H. Townend (Summary of *R. & M.* 1122), *J.*, XXXII., 1928, July, p. 627.

Tests on models of three British airplanes in the variable density wind tunnel, G. J. Higgins, W. S. Diehl and G. L. De Foe (Summary of *N.A.C.A. Report* No. 279), *J.*, XXXII., 1928, July, p. 626.

Mass distribution and performance of free flight models, Max Scherberg and R. V. Rhode (Abstract from *N.A.C.A. Technical Note* No. 268, 1927), *J.*, XXXII., 1928, March, p. 231.

Air Force tests of Sperry Messenger Model with six sets of wings, J. M. Shoemaker (Abstract from *N.A.C.A. Report* No. 269), *J.*, XXXII., 1928, Feb., p. 144.

Further experiments on a model of the Bantam aeroplane with special reference to the "flat" spin, H. B. Irving and A. S. Batson (Abstract from *R. & M.* No. 1107), *J.*, XXXII., 1928, May, p. 412.

and model measurements of the lift and drag of the Bristol Fighter with M.2 section wings, E. T. Jones and A. S. Hartshorn (Summary of *R. & M.* No. 1133), *J.*, XXXII., 1928, July, p. 624.

AEROPLANES, DESIGN AND CONSTRUCTION.

Light weight structures, Dr. Theodor v. Kármán (Abstract from *Flugsport*, 18/1/28), *J.*, XXXII., 1928, Sept., p. 830.

Modern fuselage construction (Abstract from *Flugwoche*, 30/6/27), *J.*, XXXII., 1928, Feb., p. 147.

Welded aircraft, R. M. Mock (Abstract from Convention of the Int. Acetylene Assoc., 18/11/27), *J.*, XXXII., 1928, Sept., p. 831.

Welded aircraft frames, T. C. Fetherston (Abstract from *J. Am. Weld. Soc.*, Nov., 1927), *J.*, XXXII., 1928, Sept., p. 831.

Tensile tests of spot welded joints, A. Rechtlich (Abstract from 78th Report of German Aeron. Inst.), *J.*, XXXII., 1928, Sept., p. 831.

Wear of aeroplane control cables (Abstract from 77th Report of the Deutsche Versuchsanstalt fur Luftfahrt), *J.*, XXXII., 1928, Feb., p. 147.

Schneider Trophy machine design, R. J. Mitchell, P. A. Ralli, and Capt. G. S. Wilkinson, *J.*, XXXII., 1928, Sept., pp. 743-776.

AEROPLANES, FULL SCALE EXPERIMENTS.

Pressure distribution on wing ribs of the V.E.7 and T.S. airplanes in flight. Part II.—Pull ups, R. V. Rhode (Summary of *N.A.C.A. Technical Note* No. 277), *J.*, XXXII., 1928, July, p. 626.

Full-scale and model measurements of lift and drag of a Bristol Fighter fitted with R.A.F.34 wings (Summary of *R. & M.* No. 1146), *J.*, XXXII., 1928, Nov., p. 961.

Full-scale drag tests on various parts of Sperry Messenger airplane, F. E. Weick (Abstract from *N.A.C.A. Technical Note* No. 274, 1928), *J.*, XXXII., 1928, April, p. 334.

A full scale investigation of ground effect (Abstract from *N.A.C.A. Report* No. 265), *J.*, XXXII., 1928, Feb., p. 148.

AEROPLANES, PERFORMANCE OF.

The practical side of performance testing of aircraft, Squadron-Leader T. H. England, D.S.C., A.F.C., *J.*, XXXII., 1928, Jan., pp. 6-24.

Notes on performance testing (Summary of *R. & M.* No. 1140), *J.*, XXXII., 1928, Nov., p. 961.

Some further aerodynamical relations (without recourse to polar characteristics), M. Schienck (Abstract from 79th Report of the D.V.L., 14/9/27), *J.*, XXXII., 1928, Sept., p. 830.

Generalised co-ordination of the mechanics of flight, H. Helmsold (Abstract from *Z.F.M.*, 28/11/27), *J.*, XXXII., 1928, Sept., p. 827.

The reduction of performance tests, H. L. Stevens, *J.*, XXXII., 1928, Nov., pp. 943-958.

The effect of performance of a cut-away centre section, T. Carroll (Summary of *N.A.C.A. Technical Note* No. 273), *J.*, XXXII., 1928, July, p. 627.

The use of the wind tunnel for performance predictions, R. K. Pierson, B.Sc., A.M.Inst.C.E., F.R.Ae.S., *J.*, XXXII., 1928, Feb., pp. 96-126.

Table showing effect of increase in h.p. in Schneider Trophy design, *J.*, XXXII., 1928, Sept., p. 759.

AEROPLANES, PERFORMANCE, TAKING OFF AND LANDING.

Photogrammatic process for measuring take-offs and landing courses (Abstract from paper read before the XVth meeting of the W.G.L., 16-20/7/26), *J.*, XXXII., 1928, Feb., p. 148.

The starting of heavily loaded aeroplanes, A. Proll (Abstract from *Z.F.M.*, 28/1/28), *J.*, XXXII., 1928, Sept., p. 828.

Device to reduce the landing speed of aeroplanes, E. Heinkel (Abstract from *Flugsport*, 16/2/27), *J.*, XXXII., 1928, Sept., p. 828.

A warning concerning the take-off with heavy load, E. G. Reid and T. Carroll (Abstract from *N.A.C.A. Technical Note* No. 258), *J.*, XXXII., 1928, Feb., p. 148.

AEROPLANES, STRENGTH OF.

The distribution of loads between the wings of a plane having decalage (Abstract from *N.A.C.A. Technical Note* No. 269), *J.*, XXXII., 1928, Sept., p. 825.

Oscillations in a bridge caused by the passage of locomotives (Abstract from *Proc. Roy. Soc.* A.118 No. 779), *J.*, XXXII., 1928, Sept., p. 831.

An analysis of some causes of discrepancies between the calculated failing load of the structure of an aircraft and the load at which failure occurs on strength test, H. B. Howard and K. T. Spencer (Summary of *R. & M.* 1125), *J.*, XXXII., 1928, July, p. 627.

AEROPLANES, WINGS.

Drag of wings with end plates, P. E. Hemke (Abstract from *N.A.C.A. Report* No. 267), *J.*, XXXII., 1928, Feb., p. 145.

Air force and moment for N.20 wing with certain cut-outs, R. H. Smith (Abstract from *N.A.C.A. Report* No. 266), *J.*, XXXII., 1928, Feb., p. 146.

AEROPLANES, WINGS, PRESSURE PLOTTING.

Pressure distribution on wing ribs of the V.E.7 and T.S. airplanes in flight, R. V. Rhode (Abstract from *N.A.C.A. Technical Note* No. 267), *J.*, XXXII., 1928, March, p. 231.

The measurement of pressure through tubes in pressure distribution tests, Paul E. Hemke (Abstract from *N.A.C.A. Report* No. 270), *J.*, XXXII., 1928, March, p. 229.

Pressure distribution tests on P.W.9 wing models showing effects of biplane interference, A. J. Fairbanks (Summary of *N.A.C.A. Report* No. 271), *J.*, XXXII., 1928, July, p. 627.

Pressure distribution over U.S.A. 27 aerofoil with square wing tips, J. H. Parkin, J. E. B. Shortt and C. E. Heard (Abstract from *Aeronautical Research Paper* No. 18, Dec., 1925), *J.*, XXXII., 1928, March, p. 233.

Pressure distribution over Göttingen 387 aerofoil with square wing tips, J. H. Parkin, J. E. B. Shortt and J. G. Cade (Abstract from *Aeronautical Research Paper* No. 18a, Sept., 1926), *J.*, XXXII., 1928, March, p. 233.

AIRCRAFT EXHIBITION, INTERNATIONAL, OLYMPIA.

Announcement of, *J.*, XXXII., 1928, Nov., p. 912.

AIRSCREWS, GENERAL.

On the fundamental principles of the vortex theory of airscrews, S. Kawada (Abstract from IV. Int. Air Congr., Rome, 1927), *J.*, XXXII., 1928, Sept., p. 832.

Determination of propeller deflection by means of static load tests on models, F. E. Weick (Summary of *N.A.C.A. Technical Note* No. 275), *J.*, XXXII., 1928, July, p. 629.

Analysis of experiments on an airscrew in various positions within the nose of a tractor body, C. H. H. Lock (Summary of *R. & M.* 1120), *J.*, XXXII., 1928, July, p. 629.

Wind tunnel tests with high tip speed airscrews. The characteristics of bi-convex No. 2 aerofoil section at high speeds, G. P. Douglas and W. G. A. Perring (Summary of *R. & M.* 1123), *J.*, XXXII., 1928, July, p. 629.

Charts for the calculation of airscrew thrust and torque coefficients, J. D. Coales (Summary of *R. & M.* 1114), *J.*, XXXII., 1928, July, p. 628.

The characteristics of airscrew section R. & M. 322, No. 4, and R.A.F. 32, W. G. A. Perring (Summary of *R. & M.* 1134), *J.*, XXXII., 1928, July, p. 628.

The characteristics of a conventional airscrew section, aerofoil R. & M. 323, No. 3, at high speeds, G. P. Douglas and W. G. A. Perring (Summary of *R. & M.* No. 1124), *J.*, XXXII., 1928, July, p. 628.

The effect of the Sperry Messenger fuselage on the air flow at the propeller plane, F. E. Weick (Summary of *N.A.C.A. Technical Note* No. 274), *J.*, XXXII., 1928, July, p. 629.

New experimental research on helicopter screws, W. Margoulis (Abstract from *L'Aeronautique*, May, 1927), *J.*, XXXII., 1928, Sept., p. 831.

Cavitation in screw propellers, J. Tutin (Abstract from *Phil. Mag.*, July, 1927), *J.*, XXXII., 1928, Sept., p. 832.

Reduction of airscrew tests, H. Borck (Abstract from *Z.F.M.*, 14/9/27), *J.*, XXXII., 1928, Sept., p. 832.

The magnetic field of a helix, H. Lamb (Abstract from *Proc. Camb. Phil. Soc.*, XXI., 1923), *J.*, XXXII., 1928, Sept., p. 832.

Special propeller protractor, A. L. Heim (Abstract from *N.A.C.A. Technical Note* No. 272, 1928), *J.*, XXXII., 1928, April, p. 334.

Tests of a metal airscrew in a closed tunnel for comparison with American tests in an open jet tunnel (Summary of *R. & M.* No. 1137), *J.*, XXXII., 1928, Nov., p. 962.

Rupp airscrew hub (Abstract from *Nach. f. Luft.*), *J.*, XXXII., 1928, Feb., p. 150.

Corrections to Squadron Leader F. E. Hellyer's paper, *J.*, XXXII., 1928, Feb., p. 93.

Design of airscrews for Schneider Trophy Race, 1927, *J.*, XXXII., 1928, Sept., pp. 763-767.

Airscrews, W. E. Park (from the construction point of view), *J.*, XXXII., 1928, Aug., pp. 706-720.

AIRSCREWS, MODEL EXPERIMENTS.

Characteristics of propeller sections tested in the variable density wind tunnel, E. N. Jacobs (Abstract from *N.A.C.A. Report* No. 259), *J.*, XXXII., 1928, Feb., p. 150.

Experiments on model airscrews at high tip speeds, G. P. Douglas, M.C., D.Sc., *J.*, XXXII., 1928, June, pp. 482-518.

AIRSCREWS, VARIABLE PITCH.

The variable pitch airscrew, H. S. Hele-Shaw, D.Sc., F.R.S., and T. E. Beacham, B.Sc., *J.*, XXXII., 1928, July, pp. 525-554.

AIRSHIPS.

The new high altitude balloon, Bartsch von Sigsfeld (Abstract from *Z.F.M.*, 28/11/27), *J.*, XXXII., 1928, Sept., p. 843.

The new Zeppelin airships (Abstract from *Flug.*, Oct. 1927), *J.*, XXXII., 1928, Sept., p. 842.

The giant airship (Abstract from *Luftfahrt*, 7/10 27), *J.*, XXXII., 1928, Sept., p. 843.

The resistance of the International Airship Models measured in the wind tunnel of the Royal College of Science, S. Kensington (Summary), *J.*, XXXII., 1928, Nov., p. 962.

Heat transfer system for airships (Abstract from U.S. Patent Office Re. 16644), *J.*, XXXII., 1928, Feb., p. 165.

Secondary stresses in airship hull structures, J. F. Baker, M.A., B.Sc., *J.*, XXXII., 1928, Dec., pp. 1021-1041.

AIRSHIPS, MODEL EXPERIMENTS.

Tests on the N.P.L. airship models in the variable density wind tunnel, G. J. Higgins (Abstract from *N.A.C.A. Technical Note* No. 264), *J.*, XXXII., 1928, March, p. 230.

ALLEN, FLT. LT. R. E. H.

Ground transport for an air organisation, Flt. Lt. R. E. H. Allen, A.M.I.A.E., M.I.Ae.E., *J.*, XXXII., 1928, July, pp. 596-623.

ALMELEC, *see* Materials, Light Alloys.

ANEMOMETERS, *see* Meteorology.

ANNUAL GENERAL MEETING.

Announcement of, *J.*, XXXII., 1928, March, p. 169.

Report of, 1928, *J.*, XXXII., 1928, April, p. 245.

ANNUAL REPORT.

Sixty-third, *J.*, XXXII., 1928, March, p. 171.

AUTOGYRO.

Lift and torque of an autogyro on the ground, H. Glauert (Summary of *R. & M.* No. 1131), *J.*, XXXII., 1928, July, p. 630.

Further development of autogyro theory, Parts I. and II. (Summary of *R. & M.* No. 1127), *J.*, XXXII., 1928, Nov., p. 962.

The Rieseler autogyro (Abstract from *Aero-Revue Suisse*, Jan., 1927), *J.*, XXXII., 1928, Feb., p. 149.

A general theory of the autogyro, H. Glauert (Abstract from *R. & M.* No. 1111), *J.*, XXXII., 1928, May, p. 413.

The rotating wing in aircraft, H. E. Wimperis (Abstract from *R. & M.* No. 1108, Aug., 1926), *J.*, XXXII., 1928, March, p. 228.

Wind tunnel and dropping tests of autogyro models, L. E. Caygill and A. E. Woodward Nut (Abstract from *R. & M.* No. 1116, Nov., 1926), *J.*, XXXII., 1928, April, p. 331.

AUTOMATIC SLOT, *see* Aerofoils, with Slots.

BAKER, J. P., M.A., M.Sc.

Secondary stresses in airship hull structures, *J.*, XXXII., 1928, Dec., pp. 1025-1045.

BODIES.

Drag of exposed fittings and surface irregularities of airplane fuselages, D. H. Wood (Summary of *N.A.C.A. Technical Note* No. 280), *J.*, XXXII., 1928, July, p. 630.

BOMBS AND BALLISTICS.

The gaseous explosive reaction. The effect of inert gases, F. W. Stevens (Summary of *N.A.C.A. Report* No. 280), *J.*, XXXII., 1928, July, p. 630.

The influence of free surface and fixed walls on fast-moving bullets in water (Abstract from *Ann. d. Phys.*, No. 22, 1927), *J.*, XXXII., 1928, Sept., p. 842.

Motion produced in water by the passage of a fast-moving bullet (Abstract from *Ann. d. Phys.* No. 22, 1927), *J.*, XXXII., 1928, Sept., p. 842.

Testing aircraft armament (Abstract from U.S.A. Army Ord., Jan.-Feb., 1928), *J.*, XXX[illegible], 1928, Sept., p. 842.

Bombs and bomb fuses, W. F. Becker (Abstract from Ar. Ord., May-June, 1927), *J.*, XXXII., 1928, Feb., p. 164.

Notes on attack by torpedo seaplanes, G. Viansino (Abstract from *Riv. Aeron.* No. II., Feb., 1927), *J.*, XXXII., 1928, Feb., p. 164.

The experimental determination of the trajectory of aircraft bombs (Summary of *R. & M.* No. 1121), *J.*, XXXII., 1928, Nov., p. 962.

The development of torpedo-carrying aircraft, Major F. A. Bumpus, *J.*, XXXII., 1928, March, pp. 206-226.

BOUNDARY LAYER, *see* Aerodynamics.

BRANCHES.

Yeovil Branch Notes and lecture, *J.*, XXXII., 1928, Jan., pp. 69-85.

Leeds Branch opening meeting, *J.*, XXXII., 1928, Jan., pp. 85-88.

Leeds Branch Notes, *J.*, XXXII., 1928, Nov., p. 974.

Yeovil Branch Notes, *J.*, XXXII., 1928, Nov., p. 974.

BROWN, SIR ARTHUR.
Presentation of painting of, to Royal Aeronautical Society, *J.*, XXXII., 1928, May, p. 420.

BUMPUS, MAJOR F. A.
The development of torpedo-carrying aircraft, Major F. A. Bumpus, *J.*, XXXII., 1928, March, pp. 206-226.

BUSK, EDWARD, MEMORIAL PRIZE.
Award, *J.*, XXXII., 1928, May, p. 337.

BUSK STUDENTSHIP.
Terms of, *J.*, XXXII., 1928, May, p. 338.

CABLES, CONTROL, *see* Aeroplanes, Construction.

CARBURETTORS, *see* Fuels, Carburettors, Engines.

CINEMATOGRAPH FILMS.
Presentation of, to the Society, *J.*, XXXII., 1928, Sept., p. 742.

CIVIL AVIATION, *see* also Sound.
Commercial transport, Lt.-Col. Ivo Edwards and F. Tymms (Summary of contents), *J.*, XXXII., 1928, May, p. 413.
Experiences on the Cairo-Baghdad Air Mail, Wing Commander R. M. Hill, M.C., A.F.C., F.R.Ae.S., *J.*, XXXII., 1928, May, pp. 385-410.
Ground transport for an air organisation, Flt. Lieut. R. E. H. Allen, A.M.I.A.E., M.I.Ae.E., *J.*, XXXII., 1928, July, pp. 596-623.
International Civil Aeronautics Conference, Washington, Delegates to, *J.*, XXXII., 1928, Nov., p. 911; Dec., p. 977.

CIVIL ENGINEERS, INSTITUTION OF.
Address to, *J.*, XXXII., 1928, Aug., p. 645.

CONGRESSES.
Proceedings of the Second International Congress for Applied Mechanics, Zurich, Sept. 12-17, 1926 (Summary of contents in English), *J.*, XXXII., 1928, July, p. 630.

CONTROL OF AEROPLANES, GENERAL.
Lift, drag and elevator hinge moments of Handley Page control surfaces, R. H. Smith (Abstract from *N.A.C.A. Report* No. 278, 1927), *J.*, XXXII., 1928, April, p. 334.

CONTROL OF AEROPLANES, FINS AND RUDDERS.
The aerodynamics of a simple servo-rudder system, H. M. Garner and Flt. Lt. C. E. W. Lockyer (Abstract from *R. & M.* 1105, May, 1927), *J.*, XXXII., 1928, March, p. 227.

CONTROL OF AEROPLANES, TAIL PLANES AND ELEVATORS.
Tail flutter and means for its prevention, F. N. Schenkel (Abstract from paper read before XVth meeting of the Wissenschaftliche Ges. fur Luftfahrt, July 16-20, 1926), *J.*, XXXII., 1928, Feb., p. 149.

COOLING, *see* Engines, Cooling.

CORROSION, *see* Materials, Aluminium; Materials, General; Seaplanes, Boats and Floats.

CRANKSHAFTS, *see* also Engines.
The whirling speed of shafts (Abstract from *Engineering*, CXXIV., 7/10/27), *J.*, XXXII., 1928, Sept., p. 816.
On the balance and inertia torque of multi-cylinder engines, E. J. Fearn, B.Sc.(Eng.), A.F.R.Ae.S., *J.*, XXXII., 1928, Sept., pp. 799-806.
Stiffening effect of turbine discs on the strength of the turbine shaft (Abstract from *Z.V.D.I.*, LXXII., 14/1/28), *J.*, XXXII., 1928, Sept., p. 816.
The Olsen balancing machine (Abstract from *Autom. Ind.*, LVII., 17/12/27), *J.*, XXXII., 1928, Sept., p. 816.
The principle of similarity in the design of engine crankshafts (Abstract from *Motorwagen*, XXX., 20/11/27), *J.*, XXXII., 1928, Sept., p. 819.
On the detrimental effect of flywheels in producing torsional vibrations (Abstract from *Z.V.D.I.*, 27/8/27), *J.*, XXXII., 1928, Feb., p. 139.
Torsional strength of splined shafts (Abstract from *J. Soc. Autom. Eng.*, Sept., 1927), *J.*, XXXII., 1928, Feb., p. 139.
A new type of split crankshaft (Abstract from *Motorwagen*, 31/8/27), *J.*, XXXII., 1928, Feb., p. 141.

CRYSTALLOGRAPHY.
Structure of matter in the light of Rontgen rays, M. Polanyi (Abstract from *Z.V.D.I.*, 23/4/27), *J.*, XXXII., 1928, Feb., p. 160.

DIESEL ENGINES, *see* Engines, Heavy Oil.

DOPES.
Cellulose: X-ray structure, R. O. Herzog (Abstract from Cellulose Symposium Report, Dominion Convention of Chemists, Montreal, 1928), *J.*, XXXII., 1928, Feb., p. 163.
Cellulose acetate and cellulose nitrate: solubility, W. von Neuenstein (Abstract from *Kolloid-Z.*, 1927), *J.*, XXXII., 1928, Feb., p. 163.

Nitro-cellulose: Viscosity, N. Yamaga (Abstract from Cellulose Ind., Tokyo, 1926), *J.*, XXXII., 1928, Feb., p. 162.
Cellulose: X-ray structure, J. Duclaux (Abstract from *Chem. Abstr.*, 1926), *J.*, XXXII., 1928, Feb., p. 162.
Researches on cellulose acetate and its solution. Composition of cellulose acetate lacquer for aeroplane dope, (Summary of Reports of the A.R.I. Tokyo Imp. Univ., Nos. 32-36), *J.*, XXXII., 1928, Nov., p. 963.
Viscose films: tenacity and elongation, G. Kita, R. Tomihisa, and K. Sakurada (Abstract from *Cellulose Ind.*, Tokyo, 1926), *J.*, XXXII., 1928, Feb., p. 162.
Dyes: fastness, H. Pomerang (Abstract from *Melliand Textilber.*, 1927), *J.*, XXXII., 1928, Feb., p. 162.

DORNIER, C.
Notes on a family of flying boats, *J.*, XXXII., 1928, Dec., pp. 980-1020.

DOUGLAS, G. P., M.C., D.Sc.
Experiments on model airscrews at high tip speeds, *J.*, XXXII., 1928, June, pp. 482-518.

ELECTIONS.
J., XXXII., 1928, Jan., p. 1.
J., XXXII., 1928, Feb., p. 91.
J., XXXII., 1928, March, p. 169.
J., XXXII., 1928, April, p. 239.
J., XXXII., 1928, May, p. 338.
J., XXXII., 1928, June, p. 420.
J., XXXII., 1928, July, p. 520.
J., XXXII., 1928, Aug., p. 639.
J., XXXII., 1928, Nov., p. 911.
J., XXXII., 1928, Dec., p. 978.

ELLIOTT MEMORIAL PRIZE.
Subject for, *J.*, XXXII., 1928, Feb., p. 91.
Awarded to C. V. Brown, *J.*, XXXII., 1928, Aug., p. 639.

ENDOWMENT FUND.
Notice, *J.*, XXXII., 1928, Jan., p. 1.

ENGINES, GENERAL, *see* also Crankshafts.
The high duty compression-ignition engine, D. R. Pye (Abstract from *R. & M.* No. 1109, Aug., 1926), *J.*, XXXII., 1928, March, p. 228.
Are aero engines reliable? An informal discussion, *J.*, XXXII., 1928, pp. 65-68.
Water-cooled aero engines, A. A. Rubbra, *J.*, XXXII., 1928, Jan., pp. 77-85.
Carbon deposits (Abstract from *Nat. Petr. News*, 6/7/27), *J.*, XXXII., 1928, Feb., p. 128.
Back lash eliminator (Abstract from *Chem. & Met. Eng.*, Aug., 1927), *J.*, XXXII., 1928, Feb., p. 141.
Improvements in aero engines (Abstract from *J. Revue de l'Aeronautique Militaire*, May-June, 1927), *J.*, XXXII., 1928, Feb., p. 142.
The effect of combustion chamber design on performance (Abstract from *Comp. Rend.*, 22/8/27), *J.*, XXXII., 1928, Feb., p. 141.
A theory of the torque converter (Abstract from *Phil. Mag.*, Oct., 1927), *J.*, XXXII., 1928, Feb., p. 141.
Schneider Trophy Engine Design, Capt. G. S. Wilkinson, *J.*, XXXII., 1928, Sept., pp. 768-776.
Repairs of Aero Engines, Wing-Commander I. G. V. Fowler, *J.*, XXXII., 1928, Nov., pp. 920-942.
Piezo electric indicator for high-speed internal combustion engine, F. Nakanishi (Abstract from *J. Soc. Mech. Eng., Tokyo*, 1925), *J.*, XXXII., 1928, Sept., p. 836.
Piezo electric indicator for high-speed internal combustion engines (Abstract from *Bull. Inst. Phys. Chem. Research, Tokyo*, 1925), *J.*, XXXII., 1928, Sept., p. 836.
Motoring losses in internal combustion engines, H. Moss (Summary of *R. & M.* No. 1128), *J.*, XXXII., 1928, July, p. 632.
Heat transfer in internal combustion engines, H. Moss (Summary of *R. & M.* No. 1129), *J.*, XXXII., 1928, July, p. 631.
The relative performance obtained with several methods of control of an over-compressed engine using gasoline, A. W. Gardiner and W. E. Whedon (Summary of *N.A.C.A. Report* No. 272), *J.*, XXXII., 1928, July, p. 631.
The performance of several combustion chambers designed for aircraft oil engines, W. F. Joachim and C. Kemper (Summary of *N.A.C.A. Report* No. 282), *J.*, XXXII., 1928, July, p. 631.
Stresses due to shrinkage of one hollow cylinder on another (Abstract from *J. Soc. Mech. Eng., Tokyo*, XXVIII., 1925), *J.*, XXXII., 1928, Sept., p. 821.
The Borner triple chamber engine (Abstract from *Maschinen-Konstructeur*, LX., 31/10/27), *J.*, XXXII., 1928, Sept., p. 821.
Motoring losses in internal combustion engines (Summary of *R. & M.* No. 1128), *J.*, XXXII., 1928, Nov., p. 964.
The determination of the horse-power height factor of engines from the results of type trials of aircraft (Summary of *R. & M.* No. 1141), *J.*, XXXII., 1928, Nov., p. 964.
Self-aligning position (Abstract from *Sc. Am.*, March, 1928), *J.*, XXXII., 1928, Sept., p. 819.
The new Krupp reduction gear (Abstract from *Motorwagen*, 10/3/28), *J.*, XXXII., 1928, Sept., p. 819.

High compression and wing radiators (Abstract from U.S. Army & Navy Register, 8/10/28), *J.*, XXXII., 1928, Sept., p. 819.

Magnesium pistons (Abstract from U.S. Army & Navy Register, 6/8/27), *J.*, XXXII., 1928, Feb., p. 158.

ENGINES, ACCESSORIES.

Petrol filters (Abstract from *Motorwagen*, CLXXXVI., 20/2/28), *J.*, XXXII., 1928, Sept., p. 819.

Engine starters (Abstract from *Z.V.D.I.*, LXXII., 4/2/28), *J.*, XXXII., 1928, Sept., p. 820.

"Carlen" silencer for aero engines (Abstract from *Tedens*, 11/2/28), *J.*, XXXII., 1928, Sept., p. 820.

ENGINES, COOLING.

Heat transfer between water and oil (Abstract from Research Publication of the V.D.I., Pt. No. 271), *J.*, XXXII., 1928, Feb., p. 138.

New experiments on the relation between the loss of heat and surface friction in a pipe (*Eng. Abstracts*), *J.*, XXXII., 1928, Feb., p. 138.

ENGINES, HEAVY OIL.

The Bosch Aero Diesel engine (Abstract from paper read before 66th meeting of D.V.L., 10/8/27), *J.*, XXXII., 1928, Sept., p. 814.

High-speed Diesel engines for transport purposes (Abstract from *Motorwagen*, 29/2/28), *J.*, XXXII., 1928, Sept., p. 814.

On the fuel injection and combustion in the Diesel engine (solid injection) (Abstract from *Not. Tec.*, Jan., 1928), *J.*, XXXII., 1928, Sept., p. 815.

Transmission and removal of heat by the cooling system of Diesel engines (Abstract from *Am. Soc. Nav. Eng.*, XXXIX.), *J.*, XXXII., 1928, Sept., p. 815.

Oil spray research (Abstract from *Gas, Oil and Power*, 4/8/27), *J.*, XXXII., 1928, Sept., p. 815.

Solid injection 4-stroke oil engines (Abstract from *Z.V.D.I.*, LXXI.), *J.*, XXXII., 1928, Sept., p. 815.

On the thermal efficiency of high-speed Diesel engines (Japanese) (Abstract from *J. Soc. Mech. Eng., Tokyo*, 1925), *J.*, XXXII., 1928, Sept., p. 816.

High-speed compression-ignition engine research, H. B. Taylor, A.F.R.Ae.S., *J.*, XXXII., 1928, July, pp. 555-595.

Development of high-speed Diesel engines (Abstract from *J. Soc. Autom. Eng.*, July, 1927), *J.*, XXXII., 1928, Feb., p. 137.

A new form of atomiser (Abstract from *Z.V.D.I.*, 1/10/27), *J.*, XXXII., 1928, Feb., p. 137.

M.A.N. solid injection engine (Abstract from *Autom. Eng.*, July, 1927), *J.*, XXXII., 1928, Feb., p. 136.

The Diesel engine applied to motor lorries (Abstract from *Z.V.D.I.*, 26/3/27), *J.*, XXXII., 1928, Feb., p. 136.

The ignition and combustion phenomena of Diesel engines (Abstract from *Z.V.D.I.*, 10/9/27), *J.*, XXXII., 1928, Feb., p. 136.

The light supercharged Diesel engine for air use (Abstract from *Mech. Eng.*, July, 1927), *J.*, XXXII., 1928, Feb., p. 136.

Factors in the design of centrifugal type injection valves for oil engines (Abstract from *N.A.C.A. Report* No. 268), *J.*, XXXII., 1928, Feb., p. 135.

The high-speed oil engine (Abstract from *Mech. Eng.*, Sept., 1927), *J.*, XXXII., 1928, Feb., p. 135.

The design and calculation of cams and valves for the fuel-injection system in Diesel engines (Abstract from *Der Motorwagen*, May, 1927), *J.*, XXXII., 1928, Feb., p. 134.

Transmission and removal of heat by the cooling system of Diesel engines (Abstract from *J. Am. Soc. Nav. Eng.*, Aug., 1927), *J.*, XXXII., 1928, Feb., p. 135.

Development of large Diesel engines. Comparison between single and double acting, four stroke and two stroke (Abstract from *Z.V.D.I.*, Pt. 3, 1927), *J.*, XXXII., 1928, Feb., p. 134.

Relation between the indicator and torque diagrams of two-stroke compression-ignition engines and the rotational oscillations of their shafts (Abstract from *Z.V.D.I.*, 12/3/27), *J.*, XXXII., 1928, Feb., p. 134.

ENGINES, LUBRICATION.

Lubrication of surfaces under high loads and temperature (Abstract in *Chem. Abstr.*, XXII., 1928), *J.*, XXXII., 1928, Sept., p. 810.

Lubricant (ferric oxide) (Abstract from *Br. Chem. Abstr. B.*, 17/2/28), *J.*, XXXII., 1928, Sept., p. 810.

Valuation of lubricants (Abstract from *Chem. & Ind.*, May, 1927), *J.*, XXXII., 1928, Sept., p. 810.

Purification of waste lubricating oils (Abstract from *Br. Chem. Abstr. B.*, Dec., 1927), *J.*, XXXII., 1928, Sept., p. 810.

Lubricating power cylinders of Diesel engines (Abstract from *Mech. Eng.*, XLIX., Oct., 1927), *J.*, XXXII., 1928, Sept., p. 809.

Modern lubrication theory (Abstract from *Z.V.D.I.*, 18/7/27), *J.*, XXXII., 1928, Feb., p. 128.

ENGINES, PARTICULAR.

Fairchild Caminez engine (Abstract from *Aviation*, 4/7/27), *J.*, XXXII., 1928, p. 142.

ENGINES, PERFORMANCE.

Combustion time in the engine cylinder and its effect on engine performance, C. F. Marion (Abstract from *N.A.C.A. Report* No. 276), *J.*, XXXII., 1928, March, p. 230.

The comparative performance of an aviation engine at normal and high inlet air temperatures, A. W. Gardiner and O. W. Schey (Abstract from *N.A.C.A. Report* No. 277, 1927), *J.*, XXXII., 1928, April, p. 333.

ENGINES, SUPERCHARGING.

A preliminary investigation of supercharging an air-cooled engine in flight (Summary of *N.A.C.A. Report* No. 283), *J.*, XXXII., 1928, Nov., p. 964.

The comparative performance of Roots' type aircraft engine superchargers as affected by change in impeller speed and displacement (Summary of *N.A.C.A. Report* No. 284), *J.*, XXXII., 1928, Nov., p. 964.

Recent development problems of aeroplane engines, with special reference to high altitude (Abstract from paper read to W.G.L., Sept., 1927), *J.*, XXXII., 1928, Sept., p. 818.

The Sulzer system of supercharging (Abstract from *J. Am. Soc. Nav. Eng.*, Feb., 1928), *J.*, XXXII., 1928, Sept., p. 818.

On the influence of supercharging on the performance of aeroplanes, R. McKinnon Wood (Abstract from *R. & M.* No. 1112, March, 1926), *J.*, XXXII., 1928, April, p. 331.

Preliminary flight tests of the N.A.C.A. Roots' type aircraft engine supercharger (*N.A.C.A. Report* No. 263), *J.*, XXXII., 1928, Feb., p. 140.

ENGINES, TWO-STROKE.

Investigation of the high-speed two-stroke engine (Abstract from *Motorwagen*, XXXI., 31/1/28), *J.*, XXXII., 1928, Sept., p. 821.

ENGLAND, SQUADRON-LEADER T. H.

The practical side of performance testing of aircraft, *J.*, XXXII., 1928, Jan., pp. 6-24.

ENTWISTLE, CAPTAIN F.

Fog, *J.*, XXXII., 1928, May, pp. 342-384.

EXHIBITIONS.

International Aeronautical Exhibition in Berlin, Oct. 7-28, Society's exhibit at, *J.*, XXXII., 1928, Sept., p. 741.

FABRICS, GENERAL.

Ultra-violet transmission of fabrics (Abstract from *Bur. St. Tech. News Bull.*, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 840.

Textile fabrics—ultra-violet transmission (Abstract from *J. Agric. Res.*, 1927), *J.*, XXXII., 1928, Sept., p. 840.

The influence of atmospheric conditions on textiles (Abstract from *Leipzige Monatschrift der Textilindustrie*, 1927, Nos. 1-4), *J.*, XXXII., 1928, Sept., p. 841.

Moisture content of yarns (Abstract from *Spinner u. Weber*, 1927, Nos. 17 and 18), *J.*, XXXII., 1928, Sept., p. 841.

Yarn testing machine—tensile strength and elongation: stress/strain graph, H. L. Scott Co. (Abstract from *Text. World*, 1927, LXXI.), *J.*, XXXII., 1928, Feb., p. 161.

Thermal properties, I. D. Foos (Abstract from *Text. World*, 1926, LXX.), *J.*, XXXII., 1928, Feb., p. 161.

FAGE, A., A.R.C.Sc., F.R.Ae.S.

Some recent experiments on fluid motion, *J.*, XXXII., 1928, April, pp. 296-321.

FEARN, E. J., B.Sc.(Eng.), A.F.R.Ae.S.

On the balance and inertia torque of multi-cylinder engines, *J.*, XXXII., 1928, Sept., pp. 799-806.

FIRE PREVENTION.

Automatic fire extinguisher system "Bouillion" (Abstract from *L'Air*, 15/2/28), *J.*, XXXII., 1928, Sept., p. 833.

The prevention of fire risks in aircraft, M. P. Clerget (Abstract from *La Tech. Aeron.*, 15/5/27), *J.*, XXXII., 1928, Feb., p. 150.

FLUID MOTION.

Some recent experiments on fluid motion, A. Fage, A.R.C.Sc., F.R.Ae.S., *J.*, XXXII., 1928, April, pp. 296-321.

On the flow of air behind an inclined flat plate of infinite span, A. Fage and F. C. Johansen (Abstract from *R. & M.* No. 1104, Feb., 1927), *J.*, XXXII., 1928, March, p. 227.

Some experiments on motion of fluids, Part IV. (Summary of Report of A.R.I. Tokyo Imp. University), *J.*, XXXII., 1928, Nov., p. 965.

Study of open jet wind tunnel cones (*N.A.C.A. Tech. Note* No. 260), *J.*, XXXII., 1928, Feb., p. 142.

Flow of air behind a plate (Abstract from *Proc. Roy. Soc.*), *J.*, XXXII., 1928, Feb., p. 142.

Motion of fluid in a curved pipe, W. R. Dean (Abstract from *Phil. Mag.*, July, 1927), *J.*, XXXII., 1928, Feb., p. 143.

On the interference effect of body and wing (Abstract from *Z.f.A.M.u.M.*, VII., 1927), *J.*, XXXII., 1928, Sept., p. 821.

Uniform rotation of a rigid body in an unlimited fluid (Abstract from Rep. of the Conference at Innsbruck, 1922), *J.*, XXXII., 1928, Sept., p. 822.

Three-dimensional disturbance of Poiseuille's flow (Abstract from *Ann. d. Phys.*, LXXXIV., 1927), *J.*, XXXII., 1928, Sept., p. 822.

Motion of a viscous liquid between coaxial cylinders, J. W. Lewis (Abstract from *Proc. Roy. Soc.*, 2/1/28), *J.*, XXXII., 1928, Sept., p. 826.

Approximate calculation of lift and pressure distribution in wing lattices (Abstract from paper read to W.G.L., *Z.F.M.*, XVIII., 14/10/27), *J.*, XXXII., 1928, Sept., p. 825.

A case of steady flow of a gas in two dimensions (Abstract from *Proc. Camb. Phil. Soc.*, XXII., 1924), *J.*, XXXII., 1928, Sept., p. 823.

Notes on the variation of pressure and of the variations of velocity in a viscous fluid (Abstract from IV. Int. Air Cong., Rome, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 823.

Notes on resistance to flow of viscous fluids (Abstract from *J. Jap. Soc. N.A.*, 36, 1925), *J.*, XXXII., 1928, Sept., p. 823.

The boundary layer theory of Prandtl (Abstract from paper read at W.G.L., *Z.F.M.*, XVIII., 14/10/27), *J.*, XXXII., 1928, Sept., p. 823.

The flow round a plane lamina in rotation (in an unlimited perfect fluid) (Abstract from *Comp. Rend.*, CLXXXIV., 28/3/27), *J.*, XXXII., 1928, Sept., p. 822.

Motion of (viscous) fluid in a sinuous channel, W. R. Dean (Abstract from *Phil. Mag.*, April, 1927), *J.*, XXXII., 1928, Feb., p. 143.

The similitude of viscous fluids, L. Escande and M. Ricaud (Abstract from *Comp. Rend.*, 1925, CLXXX., 18, pp. 1326-1328), *J.*, XXXII., 1928, Feb., p. 143.

Flow of air behind a plate, A. Fage and F. C. Johnson (Abstract from *Procs. Roy. Soc.*, CXVI., A.773, pp. 170-197), *J.*, XXXII., 1928, Feb., p. 142.

The influence of vortices upon the pressure of a fluid flowing against a cylinder, W. Muller (Abstract from *Z. Tech. Phys.*, July, 1927), *J.*, XXXII., 1928, Feb., p. 144.

Study of open jet wind tunnel cones, F. E. Weick (Abstract from *N.A.C.A. Tech. Note* No. 200), *J.*, XXXII., 1928, Feb., p. 142.

FOG, *see* Meteorology.

FOWLER, WING COMMANDER I. G. V.

Repair of aero engines, *J.*, XXXII., 1928, Nov., pp. 920-942.

FUELS, GENERAL.

The effects of fuel and cylinder gas densities on the characteristics of fuel sprays for oil engines, W. F. Joachim and E. G. Beardsley (*N.A.C.A. Report* No. 281), *J.*, XXXII., 1928, July, p. 632.

Fuel flow meters, *J.*, XXXII., 1928, June, p. 457.

On preparation of lead tetraethyl, Y. Tanaka and T. Kuwata (Abstract from A.R.I. Report, Tokyo, No. 29, Dec., 1927), *J.*, XXXII., 1928, April, p. 332.

The N.A.C.A. photographic apparatus for studying fuel sprays from oil engine injection values and test results from several researches, E. G. Beardsley (Abstract from *N.A.C.A. Report* No. 274, 1927), *J.*, XXXII., 1928, April, p. 333.

Fuels for use in internal combustion engines and for other purposes (Abstract in *J. Soc. Chem. Ind.*, Sept., 1927), *J.*, XXXII., 1928, Sept., p. 807.

Critical review of fuels for aircraft engines (Abstract from paper read to W.G.L., Sept., 1927), *J.*, XXXII., 1928, Sept., p. 808.

Fuel for internal combustion engines (Abstract in *Br. Chem. Abstr. B.*, 17/2/28), *J.*, XXXII., 1928, Sept., p. 808.

Possible auxiliary sources of liquid fuels (Abstract from *J. Inst. Pet. Tech.*, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 808.

Determination of volatility of gasoline (Abstract from *Ind. & Eng. Chem.*, XIX., Dec., 1927), *J.*, XXXII., 1928, Sept., p. 808.

Synthetic fuels (Abstract from *La Rev. Petr.*, No. 239, 15/10/27), *J.*, XXXII., 1928, Sept., p. 807.

Production of synthetic fuel (Abstract from *Br. Chem. Abstr.*, 17/2/28), *J.*, XXXII., 1928, Sept., p. 807.

On the size-distribution of colloidal particles (Abstract from *Phys. Rev.*, XXXI., Jan., 1928), *J.*, XXXII., 1928, Sept., p. 807.

The production of benzol in France (Abstract from *La Nature*, 15/8/27), *J.*, XXXII., 1928, Sept., p. 809.

Development of synthetic motor fuels (Abstract from *Autom. Ind.*, Feb., 1928), *J.*, XXXII., 1928, Sept., p. 809.

New cracking process for the production of anti-detonating fuel (Abstract from *Motorwagen*, 30/9/27), *J.*, XXXII., 1928, Feb., p. 127.

Safety spirit for aero engines (Abstract from *La Génie Civil*, 16/4/27), *J.*, XXXII., 1928, Feb., p. 127.

Tests of Makhonine fuel on civil aviation aircraft (Abstract from *L'Aeronautique*, Feb., 1927), *J.*, XXXII., 1928, Feb., p. 127.

FUELS, CARBURETTORS.

Atomisation of fuels in carburettors (Abstract from W.G.L., Sept., 1927), *J.*, XXXII., 1928, Sept., p. 807.

FUELS, DETONATION & PRE-IGNITION.

Flames and combustion (Abstract from *Nature*, 7/1/28), *J.*, XXXII., 1928, Sept., p. 812.

Propagation of combustion in gaseous mixtures (Abstract from *Proc. Imp. Acad. Japan*, 1926), *J.*, XXXII., 1928, Sept., p. 812.

Activity of various metals and metal oxide catalysts in promoting the oxidation of methane by air (Abstract from *J. Am. Chem. Soc.*, 1927), *J.*, XXXII., 1928, Sept., p. 812.

The influence of mixtures of carbon dioxide and carbon tetrachloride vapour on the inflammability of a methane air mixture (Abstract from *Rec. Trav. Chim. Pays Bas*, 1927), *J.*, XXXII., 1928, Sept., p. 813.

Non-knocking fuel composition (Abstract from U.S.P., 11/10/27), *J.*, XXXII., 1928, Sept., p. 813.

Comparison of methods of estimating the anti-knock value of various dopes (Abstract from *Autom. Ind.*, Feb., 1928), *J.*, XXXII., 1928, Sept., p. 813.

Explosion of methane with up to its own volume of oxygen at initial pressures up to 150 atmospheres (Abstract from *Pro. Roy. Soc.*, 1/11/27), *J.*, XXXII., 1928, Sept., p. 813.

Inflammation of paraffin-air mixtures in a closed spherical vessel (Abstract from *J. Chem. Soc.*, Sept., 1927), *J.*, XXXII., 1928, Sept., p. 814.

Lower limit of inflammability of ethyl alcohol, ethyl ether, methyl cyclotexane and their mixtures (Summary of Report No. 21 of A.R.I., Tokyo Imp. University), *J.*, XXXII., 1928, Nov., p. 965.

Closed vessel explosion of carbon monoxide, oxygen and nitrogen mixtures, R. W. Fenning (*R. & M.* No. 1113, Jan., 1927), *J.*, XXXII., 1928, April, p. 332.

Velocity of combustion and gas equilibria (Abstract from *Z.V.D.I.*, 1927, p. 411), *J.*, XXXII., 1928, Feb., p. 133.

Flame propagation in closed cylinders (Abstract from *Cornell Univ. Eng. Exp. Sta. Bull.* No. 8, 15/3/27), *J.*, XXXII., 1928, Feb., p. 133.

Chemical action in the electric spark discharge. The ignition of methane (Abstract from *J. Am. Chem. Soc.*, 1927, p. 396), *J.*, XXXII., 1928, Feb., p. 132.

Ignition of gases, Part VI., ignition by flames—mixtures of the paraffins with air (Abstract from *J. Chem. Soc.*, Feb., 1927, p. 291), *J.*, XXXII., 1928, Feb., p. 133.

Utilisation of liquid fuels (Abstract from *La Rev. Petr.*, 3/9/27), *J.*, XXXII., 1928, Feb., p. 132.

Mechanism of uniform movement in the propagation of flame (Abstract from *J. Am. Chem. Soc.*, 1927, p. 386), *J.*, XXXII., 1928, Feb., p. 132.

Detonation characteristics of petroleum motor fuels (Abstract from *J. Soc. Autom. Eng.*, May, 1927), *J.*, XXXII., 1928, Feb., p. 131.

Vibrational movements which occur during the inflammation of combustible gases (Abstract from *Phil. Mag.*, 1927, III., pp. 1161-1166), *J.*, XXXII., 1928, Feb., p. 131.

The self-ignition of liquid fuels (Abstract from *Z.V.D.I.*, Pt. 3, 1927), *J.*, XXXII., 1928, Feb., p. 131.

Ultra-violet spectroscopy of engine fuel flames (Abstract from *J. Soc. Autom. Eng.*, May, 1927), *J.*, XXXII., 1928, Feb., p. 130.

Influence of hydrogen selenide on the limits of inflammability of hydrogen-air mixtures (Abstract from Tokyo Imp. Univ. Report No. 25, May, 1927), *J.*, XXXII., 1928, Feb., p. 130.

Influence of di-ethyl selenide on the limits of inflammability of hydrogen-air mixtures (Abstract from Tokyo Imp. Univ. Report No. 24, May, 1927), *J.*, XXXII., 1928, Feb., p. 129.

Influence of organic bromine and iodine compounds on the upper limit of inflammability of hydrogen-air mixtures (Abstract from Tokyo Imp. Univ. Report No. 23, April, 1927), *J.*, XXXII., 1928, Feb., p. 129.

Lower limit of inflammability of ethyl alcohol, ethyl ether, methyl cyclohexane, and their mixtures (Abstract from Tokyo Imp. Univ. Aeron. Research Inst. Report No. 21, Mar., 1927), *J.*, XXXII., 1928, Feb., p. 128.

Influence of ethyl bromide on the limits of inflammability of hydrogen-air mixtures (Abstract from Tokyo Imp. Univ. Report No. 22, April, 1927), *J.*, XXXII., 1928, Feb., p. 129.

Low temperature oxidation of hydrocarbons (Abstract from *J. Chem. Soc.*, July, 1927), *J.*, XXXII., 1928, Feb., p. 128.

Starting ability of fuels compared (Abstract from *J. Soc. Autom. Eng.*, July, 1927), *J.*, XXXII., 1928, Feb., p. 137.

FUSELAGES, *see* also Aeroplanes, Design and Construction.

GASES.

Radiant heat emitted during gaseous explosions (Abstract from *Phil. Mag.*, Feb., 1928), *J.*, XXXII., 1928, Sept., p. 811.

On the combustion of carbonic oxide (Abstract from *Phil. Mag.*, Jan., 1928), *J.*, XXXII., 1928, Sept., p. 811.

The slow combustion of hydro-carbon (Abstract from *Comp. Rend.*, 27/2/28), *J.*, XXXII., 1928, Sept., p. 811.

GLIDERS AND GLIDING.

Strength requirements for gliding and sailing aircraft (Abstract from *Report of the Research Institute of the Rhon-Rossiter Society*), *J.*, XXXII., 1928, Feb., p. 147.

GROUND ENGINEERS.
Correspondence on, *J.*, XXXII., 1928, April, p. 243.

GUGGENHEIM, DANIEL, MEDAL FUND.
Mr. Griffith Brewer nominated as R.Ae.S.I. representative, *J.*, XXXII., 1928, Nov., p. 912.

GUIDONI, GENERAL A.
Seaplanes—Fifteen years of naval aviation, *J.*, XXXII., 1928, Jan., pp. 25-64.

GYROSCOPES.
Gyroscopic analogies with electric motors. (Abstract from *Comp. Rend.*, CLXXXVI., 6/2/28), *J.*, XXXII., 1928, Sept., p. 821.

HEAT TRANSMISSION, *see* also Engines.
Heat transfer (Abstract from *Z.V.D.I.*, 10/3/28), *J.*, XXXII., 1928, Sept., p. 817.
Distribution and oscillation of the temperature in the principal parts of an aeroplane engine (Abstract from IV. *Int. Air. Congress, Rome*, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 817.
On the radiation from the inside of a circular cylinder (Abstract from *Phil. Mag.*, IV., Oct., 1927), *J.*, XXXII., 1928, Sept., p. 817.
Heat insulation by means of aluminium foil (Abstract from *V.D.I.*, Vol. 71), *J.*, XXXII., 1928, Feb., p. 106.
Experiments with hydraulic transmission gear —System Schwartzkopft-Hurviler (Abstract from *Z.V.D.I.*, 25/6/27), *J.*, XXXII., 1928, Feb., p. 149.
Friction of Aviation engines (*N.A.C.A. Report* No. 262), *J.*, XXXII., 1928, Feb., p. 139.
Heat transmission by radiation from non-luminous gases (Abstract from *Ind. and Eng. Chem*), *J.*, XXXII., 1928, Feb., p. 140.

HEAVY OIL ENGINES, *see* Engines, Heavy Oil.

HELE-SHAW, H. S., D.Sc., F.R.S., AND T. E. BEACHAM, B.Sc.
The variable pitch airscrew, *J.*, XXXII., 1928, July, pp. 525-554.

HELICOPTERS.
Helicopters, Sandi Kaurada (Abstract from *Research Inst. Tokyo Imp. Univ.*, 13-15, 1925), *J.*, XXXII., 1928, Sept., p. 827.
On the vertical ascent of a helicopter, N. Glauert (Summary of *R. & M.* No. 1132), *J.*, XXXII., 1928, July, p. 632.
On the horizontal flight of a helicopter (Summary of *R. & M.* No. 1157), *J.*, XXXII., 1928, Nov., p. 965.

HELIUM.
Helium tables, Lieut.-Comdr. C. H. Havill, U.S.N. (Abstract from *N.A.C.A. Technical Note* No. 276, 1928), *J.*, XXXII., 1928, April, p. 334.
Helium (Abstract from *Nat. Petr. News*, 22/6/27), *J.*, XXXII., 1928, Feb., p. 165.

HILL, WING-COMMANDER R. M., M.C., A.F.C., F.R.Ae.S.
Experiences on the Cairo-Baghdad air mail, *J.*, XXXII., 1928, May, pp. 385-410.

HOPCROFT, J.
Alloy and stainless steels, *J.*, XXXII., 1928, Jan., pp. 69-76.

HYDRODYNAMICS.
The water resistance of hulls, F. E. Fournier (Abstract from *Comp. Rend.*, 1/8/27), *J.*, XXXII., 1928, Sept., p. 826.
Wave resistance, T. H. Havelock (Abstract from *Procs. Roy. Soc.*, 1/3/28), *J.*, XXXII., 1928, Sept., p. 826.

HYDROGEN.
Studies on the inflammability of hydrogen, Parts I.-IV. *Report* No. 22 *of A.R.I., Tokyo Imp. University*, *J.*, XXXII., 1928, Nov., p. 966.

HYDROVANES, *see* Seaplanes, General.

IGNITION.
Splitdorf aircraft magneto, model V.A. (Abstract from *Aviation*, XXIII., 3/10/27), *J.*, XXXII., 1928, Sept., p. 818.

IGNITION, PLUGS.
Spark plug insulation (Abstract from *Ind. & Eng. Chem.*, Oct., 1927), *J.*, XXXII., 1928, Feb., p. 137.
Sparking plugs (Abstract from *Ill. Off. J. Pats.* No. 2030, 14/12/27), *J.*, XXXII., 1928, Sept., p. 820.

INFORMAL DISCUSSIONS.
Announcement of, *J.*, XXXII., 1928, Feb., p. 92.
Are aero engines reliable? *J.*, XXXII., 1928, pp. 65-68.

INSTRUMENTS, GENERAL.
Report on the development of a hot-wire rate of descent meter (Summary of *R. & M.* No. 1144), *J.*, XXXII., 1928, Nov., p. 966.
Huguenard and Magnan accelograph (Abstract from *Les Ailes*, 2/6/27), *J.*, XXXII., 1928, Feb., p. 146.
Modern developments in aircraft instruments, Major C. J. Stewart, O.B.E., M.I.Mech.E., F.R.Ae.S., M.I.A.E., *J.*, XXXII., 1928, June, pp. 425-481.

INSTRUMENTS, AIRFLOW.
Measurement of static pressure, C. L. Fechheimer (Abstract from *Mech. Eng.*, Aug., 1927), *J.*, XXXII., 1928, Feb., p. 152.
Air speed indicators, *J.*, XXXII., 1928, June, p. 432.
Measurement of variable velocity relative to air with pilot static tubes (Summary of *Report* No. 27, *of A.R.I., Tokyo Imp. University*), *J.*, XXXII., 1928, Nov., p. 966.
Differential pressures on a pitot-venturi and a pitot-static nozzle over 360° pitch and yaw, R. M. Bear (Abstract from *N.A.C.A. Report* No. 264), *J.*, XXXII., 1928, Feb., p. 152.

INSTRUMENTS, ENGINE.
Indicator for high speed internal combustion engines, A. Magnan and A. Planiol, *J.*, XXXII., 1928, Feb., p. 153.
An electrical indicator for high speed internal combustion engines, J. Obata and Y. Yosida (Abstract from *A.R.I. Report, Tokyo*, No. 28, Dec., 1927), *J.*, XXXII., 1928, April, p. 332.

INSTRUMENTS, NAVIGATION.
Theory of the sextant, V. Thernier (Abstract from *Z. Instrum.*, April, 1927, XLVII., pp. 165-186), *J.*, XXXII., 1928, Feb., p. 151.
Paints for compass bowls and discs, H. L. Smith (Abstract from *J. Sc. Inst.*, July, 1927), *J.*, XXXII., 1928, Feb., p. 152.

INTERNATIONAL CIVIL AERONAUTICS CONFERENCE.
Delegates to, *J.*, XXXII., 1928, Nov., p. 911.

LAND, CAPTAIN E. S.
Appointed Vice-President of Guggenheim Fund, *J.*, XXXII., 1928, Sept., p. 742.

LANDING, *see* Aeroplanes, Performance, Taking Off and Landing.

LECTURE PROGRAMME.
Oct.-Dec., 1928, *J.*, XXXII., 1928, Sept., p. 741.

LIBRARY, ROYAL AERONAUTICAL SOCIETY.
Books received, *J.*, XXXII., 1928, Jan., p. 2.
J., XXXII., 1928, Feb., p. 92.
Books received, *J.*, XXXII., 1928, March, p. 169.
Donations to, *J.*, XXXII., 1928, May, p. 338.
Books received, *J.*, XXXII., 1928, August, p. 640.
Presentations to, *J.*, XXXII., 1928, Sept., p. 742.
Books received, *J.*, XXXII., 1928, Nov., p. 913.

LUBRICATION, *see* Engines, Lubrication.

MAGNESIUM, *see* Engines, General; Materials, Magnesium.

MACCOLL, JOHN W., B.Sc., Ph.D., D.I.C.
Aerodynamics of a spinning sphere, *J.*, XXXII., 1928, Sept., pp. 777-798.

MATERIALS, GENERAL.
Experiments on wear under sliding and rolling friction (Abstract from *Maschinenbau*, VI., 1927), *J.*, XXXII., 1928, Sept., p. 817.
Researches on springs. 3, Torsional fatigue tests on spring steels (Summary of Report on), *J.*, XXXII., 1928, Nov., p. 966.
Stresses in a plate bounded by a hyperbolic cylinder (Summary of *R. & M.* No. 1152), *J.*, XXXII., 1928, Nov., p. 967.
The distribution of stress and strain in the Wöhler rotating cantilever fatigue test, W. Mason and N. P. Inglis (Summary of *R. & M.* No. 1126), *J.*, XXXII., 1928, July, p. 633.
Researches on springs. Engineering research (Abstract from Report No. 5, Feb., 1928), *J.*, XXXII., 1928, March, p. 232.
Paper as a material for construction, G. Oehler (Abstract from *Z.V.D.I.*), *J.*, XXXII., 1928, Feb., p. 164.
Cel-o-glass—Ultraviolet transmission, W. C. Russell and O. N. Massengale (Abstract from *Science*, 1925, LXV.), *J.*, XXXII., 1928, Feb., p. 161.
Notes on the manufacture and properties of hairsprings, H. Moore and S. Beckinsale (Abstract from pamphlet of *Inst. of Metals*), *J.*, XXXII., 1928, Sept., p. 836.
Tension experiments on diaphragm metals, H. B. Henrickson (Abstract from *N.A.C.A. Tech. Note* No. 261), *J.*, XXXII., 1928, Feb., p. 154.
Relation between hardness and tensile strength, R. Baumann (Abstract from *Z.f. Metallk.*), *J.*, XXXII., 1928, Feb., p. 154.
The Busch Schumann "projection" for measuring imprints in Brinell hardness tests (Abstract from *Z. Metallk.*, April, 1927), *J.*, XXXII., 1928, Feb., p. 155.
On the connection between Brinell hardness and tensile strength of pure aluminium and heat treated aluminium alloys, Dr. H. Bohner (Abstract from *Z. Metallkunde*, May, 1927), *J.*, XXXII., 1928, Feb., p. 155.

MATERIALS, ALUMINIUM.
The corrosion of aluminium, Prof. W. Guertler (Abstract from *Z. Metallk.*, March, 1908), *J.*, XXXII., 1928, Sept., p. 839.
New light aluminium alloys C6 and MC (Japanese) (Abstract from *J. Soc. Mech. Eng., Tokyo*, 1925), *J.*, XXXII., 1928, Sept., p. 839.

Note on some fatigue and density tests made of aluminium aggregate, H. J. Gough (Abstract from *R. & M.* No. 1110, June, 1927), *J.*, XXXII., 1928, March, p. 228.

The Barff method of protecting aluminium (Abstract from *Aluminium*, 31/1/27), *J.*, XXXII., 1928, Feb., p. 158.

Causes of corrosion in aluminium and its dependence on the physical and chemical properties of the metal (Abstract from *Aluminium*, 15/2/27), *J.*, XXXII., 1928, Feb., p. 159.

The technological properties of aluminium crystals, G. Sachs (Abstract from *Z.V.D.I.*, 23/4/27), *J.*, XXXII., 1928, Feb., p. 160.

MATERIALS, CORROSION.

Corrosion of metals at joints and crevices, U. R. Evans (Abstract from *J. Roy. Soc. Arts*, LXXV.), *J.*, XXXII., 1928, Feb., p. 160.

Problems of corrosion and protection of metals, J. Hanson (Abstract from *Z.F.M.*, 14/5/27), *J.*, XXXII., 1928, Feb., p. 159.

MATERIALS, DURALUMIN.

Corrosion embrittlement of duralumin (Summary of *N.A.C.A. Tech. Notes* Nos. 282-285), *J.*, XXXII., 1928, Nov., p. 967.

Prevention of embrittlement of duralumin (Abstract from *U.S. Bur. St. Misc. Pub.* No. 81), *J.*, XXXII., 1928, Sept., p. 839.

Tension tests of spot-welded duralumin, T. W. Downes (Abstract from *Chem. & Metall. Eng.*, June, 1927), *J.*, XXXII., 1928, Feb., p. 156.

MATERIALS, LIGHT ALLOYS.

Aluminium alloys susceptible to heat treatment —substitution of Germanium for silicon, W. Knoll (Abstract from *Metall. u. Erz.*, 1926), *J.*, XXXII., 1928, Feb., p. 155.

Heat treatment of various aluminium alloys (Abstract from *Physikalische Berichte*, 1927), *J.*, XXXII., 1928, Feb., p. 156.

The extension of elektron in the form of rods, Dr. Ing. Schmidt (Abstract from *Z. Metallk.*, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 839.

Progress in the utilisation of light alloys on board ship, B. R. Schulz (Abstract from *Z. Metallk.*, 1928), *J.*, XXXII., 1928, Sept., p. 838.

Light alloys, Dr. W. Claus (Abstract from *Motorwagen*, 10/12/27), *J.*, XXXII., 1928, Sept., p. 837.

Thermal expansion of beryllium and aluminium-beryllium alloys, P. Hidnert (Abstract from *Bur. St. Sc.* Paper No. 285), *J.*, XXXII., 1928, Sept., p. 838.

Aluminium alloys, K. L. Meissner (Abstract from *Z.F.M.*, 14/6/27), *J.*, XXXII., 1928, Feb., p. 156.

Light alloys (Abstract from *L'Aeronautique*, May, 1927), *J.*, XXXII., 1928, Feb., p. 156.

Inclusions in light alloys and their effect on mechanical properties, H. Stendel (Abstract from *Z. Metallk.*), *J.*, XXXII., 1928, Feb., p. 157.

"Almelec"—a new aluminium alloy for electric wires and cables, E. Dusaugey (Abstract from *Rev. Gen. de l'Elec.*, 19/2/27), *J.*, XXXII., 1928, Feb., p. 157.

Mechanical properties of binary aluminium—beryllium alloys, W. Kroll (Abstract from *Metall. u. Erz.*, 1926), *J.*, XXXII., 1928, Feb., p. 157.

MATERIALS, MAGNESIUM.

Tests to determine corrodibility of magnesium alloys, A. Portevin and E. Pretet (Abstract from *Comp. Rend.*, 11/7/27), *J.*, XXXII., 1928, Sept., p. 838.

Magnesium and its alloys, J. A. Gann and A. W. Winston (Abstract from *Ind. and Eng. Chem.*, Oct., 1927), *J.*, XXXII., 1928, Feb., p. 158.

MATERIALS, RUBBER.

Ageing of soft rubber goods, R. F. Tener, W. H. Smith and W. L. Holt (Abstract from *Bur. Stan. Tech. Paper* No. 342), *J.*, XXXII., 1928, Feb., p. 163.

Mechanical properties of rubber cord, I. F. Morrison (Abstract from *Trans. Roy. Soc. Can.*, 1926), *J.*, XXXII., 1928, Feb., p. 163.

MATERIALS, STEEL.

Non-rusting steel for aircraft, T. W. Downes (Abstract from *Iron Age*, 1926), *J.*, XXXII., 1928, Feb., p. 160.

The determination of the elastic moduli of a mild and a medium steel (Summary of *R. & M.* No. 1138), *J.*, XXXII., 1928, Nov., p. 968.

Alloy and stainless steels, J. Hopcroft, *J.*, XXXII., 1928, Jan., pp. 69-76.

MATERIALS, STRENGTH OF.

The elastic limit and figure of merit of light alloys, A. Schroeder (Abstract from *Z.F.M.*, 14/3/28), *J.*, XXXII., 1928, Sept., p. 836.

The elastic limit, G. Welter (Abstract from *W.G.L.*, 28/9/27), *J.*, XXXII., 1928, Sept., p. 837.

Contribution to the problems of hardening, J. Sachs (Abstract from *Z.f. Tech. Phys.*, 1927), *J.*, XXXII., 1928, Sept., p. 837.

Observations on the microstructure of the path of fatigue failure in a specimen of Armco iron, F. F. Lucas (Abstract from *Bell. Tel. Lab. Repr.*, June, 1927), *J.*, XXXII., 1928, Sept., p. 839.

The theory of metallic corrosion in the light of quantitative measurements (Abstract from *Procs. Roy. Soc.*, A., CXVI., A.774), *J.*, XXXII., 1928, Sept., p. 840.

MATERIALS, WOOD.
The production of tubular wood members for aircraft construction, O. Steinitz (Abstract from *Motorwagen*, 31/3/27), *J.*, XXXII., 1928, Feb., p. 150.

MATHEMATICS.
On Graeffe's method for complex roots (Abstract from *Proc. Camb. Phil. Soc.*., XXII., Pt. II., May, 1924), *J.*, XXXII., 1928, Sept., p. 824.

MEDICAL.
Experimental study on the effects of low barometric pressures and oxygen deprivation upon the efficiency of mental and physical work (Summary of Report No. 37 of A.R.I., Tokyo Imp. University), *J.*, XXXII., 1928, Nov., p. 969.

METAL CONSTRUCTION, *see* Aeroplanes, Design and Construction.

METEOROLOGY.
Electric potential gradient measurements at Eskdalemuir, R. A. Watson (Summary of *Geophysical Memoirs* No. 38), *J.*, XXXII., 1928, July, p. 633.
Studies of wind and cloud at Malta, J. Wadsworth (Summary of *Geophysical Memoirs* No. 37), *J.*, XXXII., 1928, July, p. 633.
Glare, visibility definition (Abstract from *Trans. Am. Illum. Eng. Soc.*, XXII., 1927), *J.*, XXXII., 1928, Sept., p. 843.
Measurement of atmospheric potential gradient carried out from an airship (Abstract from *Ann. d. Phys.*, 1928), *J.*, XXXII., 1928, Sept., p. 843.
Correlations of world weather and a formula for forecasting the height of the Parana river (Summary of Report), *J.*, XXXII., 1928, Nov., p. 969.
Some studies in terrestrial radiation (Summary of *R. Met. Soc. Memoir*, Vol. II., No. 16), *J.*, XXXII., 1928, Nov., p. 969.
Further studies in terrestrial radiation (Summary of *Memoirs of Roy. Met. Soc.*, Vol. III., No. 21), *J.*, XXXII., 1928, Nov., p. 969.
On errors in the multiple correlation coefficient due to random sampling (Summary of *Memoirs of Roy. Met. Soc.*, Vol. II., No. 13), *J.*, XXXII., 1928, Nov., p. 970.
Harmonic analogies and the interpretation of the results of periodogram investigations (Summary of *Memoirs of Roy. Met. Soc.*, Vol. II., No. 15), *J.*, XXXII., 1928, Nov., p. 970.
On the mechanism of cyclones and anti-cyclones (Summary of A.R.I., Tokyo Imp. Univ., No. 20), *J.*, XXXII., 1928, Nov., p. 970.
Manual of meteorology, Vol. I., Sir Napier Shaw (Summary of conents), *J.*, XXXII., 1928, May, p. 414.
The overshooting of the equilibrium height of a free balloon (Abstract from *Z.F.M.*, 16/8/27), *J.*, XXXII., 1928, Feb., p. 165.
Fog, Captain F. Entwistle, B.Sc., *J.*, XXXII., 1928, May, pp. 342-384.
Cup anemometers, T. W. Vernon Jones (Abstract from *Met. Mag.*, Aug., 1927), *J.*, XXXII., 1928, Feb., p. 165.
Preliminary note on the effect of dust, smoke and relative humidity upon the potential gradient and the positive and negative conductivities of the atmosphere, G. R. Wait (Abstract from *Terres. Mag. and Atmos. Elec.*, March, 1927), *J.*, XXXII., 1928, Feb., p. 165.

MITCHELL, R. J.
Presentation of silver medal to, *J.*, XXXII., 1928, Sept., p. 743.
Schneider trophy machine design, *J.*, XXXII., 1928, Sept., p. 762.

MODEL AERONAUTICAL ENGINEERS, SOCIETY OF.
Particulars of Wakefield international cup, *J.*, XXXII., 1928, May, pp. 415-416.

MOORE-BRABAZON, LIEUT.-COL. J. T. C., M.C., M.P.
Elected Vice-President, 1928-29, Royal Aeronautical Society, *J.*, XXXII., 1928, May, p. 419.

NAVIGATION, *see* also Instruments, Navigation.

OBITUARY.
Sir Mackenzie Dalziel Chalmers, *J.*, XXXII., 1928, Feb., p. 94.
Sir Horace Darwin, *J.*, XXXII., 1928, Nov., p. 916.
William Henry Dines, *J.*, XXXII., 1928, Feb., p. 94.
General Alessandro Guidoni, *J.*, XXXII., 1928, May, pp. 340-341.
Lord Haldane, *J.*, XXXII., 1928, Sept., p. 742.
Jacques Schneider, *J.*, XXXII., 1928, May, p. 421.
G. A. Taylor, *J.*, XXXII., 1928, April, p. 240.
Oliver Henry Douglas Vickers, *J.*, XXXII., 1928, July, p. 520.

OLEO GEARS, *see* Undercarriages.

PAGE, F. HANDLEY, C.B.E., F.R.Ae.S.
The 16th Wilbur Wright memorial lecture, *J.*, XXXII., 1928, August, pp. 648-705.

PARK, W. E.
Airscrews, *J.*, XXXII., 1928, August, pp. 706-720.

PERFORMANCE, *see* Aeroplanes, Performance; Aerodynamics; for Engines *see* Engines, Performance.

PHOTOGRAPHY.
Photographic spectrophotometry in the red and infra-red, A. L. Schoen (Abstract from Eastman Kodak Co. Research Lab. Com. No. 293), *J.*, XXXII., 1928, Feb., p. 151.

PHYSICAL AND OPTICAL SOCIETY.
19th Annual Exhibition announcement, *J.*, XXXII., 1928, Nov., p. 913.

PILCHER PRIZE.
Award, *J.*, XXXII., 1928, Feb., p. 93.

PLUGS, *see* Ignition, Plugs.

PRESIDENT, ROYAL AERONAUTICAL SOCIETY, *see* Sempill, Colonel the Master of.

PROPELLERS, *see* Airscrews.

RADIATORS, *see* also Engines.
Resistance and cooling power of various radiators (Abstract from *N.A.C.A. Report* No. 261), *J.*, XXXII., 1928, Feb., p. 139.
The softening of radiator water (Abstract from *Z.F.M.*, 14/6/27), *J.*, XXXII., 1928, Feb., p. 139.

RALLI, P. A.
Presentation of silver medal to, *J.*, XXXII., 1928, Sept., p. 743.
Design of airscrews for Schneider trophy race, 1927, *J.*, XXXII., 1928, Sept., pp. 763-767.

RENNIE, MAJOR J. D., A.R.T.C., Assoc.M.Inst.C.E., F.R.Ae.S.
The problem of the long range flying boat, *J.*, XXXII., 1928, April, pp. 264-295.

RESISTANCE, of Fittings, *see* Bodies; of Streamline Wires, *see* Aerodynamics.

REVIEWS.
Modern aircraft, Major Victor W. Pagé, *J.*, XXXII., 1928, Feb., p. 168.
Engineering aerodynamics, W. S. Diehl. Guests of the unspeakable, T. W. White. The A.B.C. of flying, Lieut.-Col. W. Lockwood Marsh, *J.*, XXXII., 1928, Nov., p. 972.
The romance of chemistry, W. Foster, Ph.D., *J.*, XXXII., 1928, July, p. 636.
Everybody's aviation guide, Major V. W. Pagé, *J.*, XXXII., 1928, July, p. 636.
Memories of land and sky, Gertrude Bacon, *J.*, XXXII., 1928, July, p. 637.
The art of flying, Captain N. MacMillan, M.C., A.F.C., *J.*, XXXII., 1928, July, p. 635.
All the world's aircraft, Edited by C. G. Grey. This airship business, E. J. Spanner.
Report of the Daniel Guggenheim Fund for the promotion of aeronautics, 1926 and 1927, *J.*, XXXII., 1928, April, p. 336.
Aerodynamics, E. P. Warner, *J.*, XXXII., 1928, Jan., p. 89.
Basic principles of air warfare, Squadron-Leader, *J.*, XXXII., 1928, Jan., p. 89.
The law in relation to aircraft, L. A. Wingfield and R. B. Sparkes, *J.*, XXXII., 1928, Dec., p. 1042.
The story of a North Sea air station, C. F. S. Gamble, *J.*, XXXII., 1928, Dec., p. 1043.

ROE, A. V.
Banquet to. Preliminary announcement, *J.*, XXXII., 1928, May, p. 337.
Banquet to. Notice of, *J.*, XXXII., 1928, May, p. 419.
Banquet to, *J.*, XXXII., 1928, July, p. 521.

ROYAL AIR FORCE.
Ground transport for an air organisation, Flt.-Lt. R. E. H. Allen, A.M.I.A.E., M.I.Ae.E., *J.*, XXXII., 1928, July, pp. 596-623.

RUBBER, *see* Materials, Rubber.

RUBBRA, A. A.
Water-cooled aero-engines, A. A. Rubbra, *J.*, XXXII., 1928, Jan., pp. 77-85.

RUDDER CONTROL, *see* Control of Aeroplanes, Fins and Rudders.

SADLER, JAMES.
Unveiling of tablet to, *J.*, XXXII., 1928, Nov., p. 912.
Correspondence from Hon. Librarian upon, *J.*, XXXII., 1928, Jan., p. 68.

SAFETY IN AIRCRAFT, *see* Aeroplanes, General; Fire Prevention.

SCALE EFFECT, *see* Aerofoils.

SCHNEIDER TROPHY.
Design of machines for 1927 race, *J.*, XXXII., 1928, Sept., pp. 743-776.
List of winners and speeds 1913-1927, *J.*, XXXII., 1928, Sept., p. 761.

SEAPLANES, GENERAL.
A dangerous seaplane landing condition (Summary of *N.A.C.A. Tech. Note* No. 287), *J.*, XXXII., 1928, Nov., p. 970.
The reaction on a float bottom when making contact with water at high speeds (Summary of *N.A.C.A. Tech. Note* No. 288), *J.*, XXXII., 1928, Nov., p. 970.

The problem of the long range flying boat, Major J. D. Rennie, A.R.T.C., Assoc.M. Inst.C.E., F.R.Ae.S., *J.*, XXXII., 1928, April, pp. 264-295.

Notes on a family of flying boats, C. Dornier, *J.*, XXXII., 1928, Dec., pp. 980-1020.

Seaplanes—Fifteen years of naval aviation, *J.*, XXXII., 1928, Jan., pp. 25-64.

Flying boats in a seaway, F. Z. Diemen (Abstract from paper read to W.G.L., Sept., 1927), *J.*, XXXII., 1928, Sept., p. 826.

Correspondence on the long range flying boat, *J.*, XXXII., 1928, May, p. 417.

Correspondence on long range flying boats, *J.*, XXXII., 1928, June, p. 423.

SEAPLANES, FLOATS AND BOATS.

Edo all-metal seaplane floats, B. V. Korvin-Kroukovsky (Abstract from *Aero Digest.*, Jan., 1928), *J.*, XXXII., 1928, Sept., p. 829.

Corrosion of metal hulls (Abstract from *U.S. Army and Navy Register*, 6/8/27), *J.*, XXXII., 1928, Feb., p. 159.

The work of the permanent commission for aeronautical studies in connection with tests on seaplane hulls, E. Barillon (Abstract from *La Tech. Aeron.* No. 64, 15/2/27), *J.*, XXXII., 1928, Feb., p. 149.

SEMPILL, COLONEL THE MASTER OF.

Guests of, at lecture dinners, *J.*, XXXII., 1928, May, p. 420.

Elected President, 1928-29, of Royal Aeronautical Society, *J.*, XXXII., 1928, May, p. 419.

SILVER MEDAL.

Presentation to Mr. R. J. Mitchell, Mr. P. A. Ralli and Captain G. S. Wilkinson, *J.*, XXXII., 1928, Sept., p. 743.

SLOTTED WINGS, *see* Aerofoils with Slots.

SOCIETY OF BRITISH AIRCRAFT CONSTRUCTORS.

Donation from, *J.*, XXXII., 1928, Nov., p. 911.

SOLICITOR, HONORARY.

Appointment of Mr. L. A. Wingfield, *J.*, XXXII., 1928, Nov., p. 912.

SOUND.

Sound meter (Abstract from *Z.V.D.I.*, 15/10/27), *J.*, XXXII., 1928, Sept., p. 843.

Notes on abnormal distribution of sound in air (Abstract in *Phys. Ber.*, 1/2/28), *J.*, XXXII., 1928, Sept., p. 843.

The measurement of sound in aeroplanes (Abstract from *Tech. Phys.*, VIII., 1927), *J.*, XXXII., 1928, Sept., p. 844.

Sound absorbing gypsum plaster (Abstract from *U.S. Ber. St. Misc. Pubcn.* No. 81), *J.*, XXXII., 1928, Sept., p. 844.

Recent applications of sound propagation to geophysics and cognate technology (Abstract from *Science Progress* No. 86, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 844.

The problem of noise in civil aircraft and the possibilities of its elimination, W. S. Tucker, D.Sc., A.M.I.E.E., *J.*, XXXII., 1928, March, pp. 185-205.

A study of the regular combination of acoustic elements, with applications to recurrent acoustic filters, tapered acoustic filters and horns, W. P. Mason (Abstract from *Bell System Technical Journal*, April, 1927), *J.*, XXXII., 1928, Feb., p. 166.

Transmission of sound through building materials, V. L. Chrisler (Abstract from *Bur. Stan. Sc.* Paper No. 552), *J.*, XXXII., 1928, Feb., p. 166.

SPINNING, *see* Stability.

SPRINGS, RESEARCHES ON, *see* Materials, General.

STABILITY, GENERAL.

Wind tunnel tests on auto-rotation and the flat spin, M. Knight (Abstract from *N.A.C.A. Report* No. 273, 1927), *J.*, XXXII., 1928, April, p. 333.

Calculations on the setting in of spinning (Abstract from paper to W.G.L., Sept., 1927), *J.*, XXXII., 1928, Sept., p. 824.

The dynamics of aeroplane flight (Abstract from Report of the Innsbruck Conference, 1922), *J.*, XXXII., 1928, Sept., p. 824.

Measurement of the moments of inertia of full-scale aeroplanes, M. W. Green (Abstract from *N.A.C.A. Technical Note* No. 205, 1927), *J.*, XXXII., 1928, March, p. 231.

Tail spins and flat spins, B. V. Korvin-Kronkovsky (Abstract from *Aviation*, 18/7/27), *J.*, XXXII., 1928, Feb., p. 146.

Accidents in figure flying and in spinning with suggestions for their avoidance, Joachim von Koppen (Abstract from *Z.F.M.*, 14/7/27), *J.*, XXXII., 1928, Feb., p. 147.

Approximate method of determining the statical stability of a monoplane (Abstract from *Z.F.M.*, 14/6/27), *J.*, XXXII., 1928, Feb., p. 148.

STABILITY, LONGITUDINAL.

A survey of longitudinal stability below the stall, with an abstract for designers' use, S. B. Gates (Abstract from *R. & M.* No. 1118), *J.*, XXXII., 1928, May, p. 411.

STARTERS FOR ENGINES, *see* Engines, Accessories.

STEEL, *see* Materials, Steel.

STEVENS, H. L.
The reduction of performance tests, *J.*, XXXII., 1928, Nov., pp. 943-958.

STEWART, MAJOR C. J., O.B.E., M.I.Mech.E., F.R.Ae.S., M.I.A.E.
Modern developments in aircraft instruments, *J.*, XXXII., 1928, June, pp. 425-481.

STREAMLINING, *see* Aerodynamics.

SUPERCHARGING, *see* Engines, Supercharging.

SURVEY, AERIAL.
Aerial photography, Clarence Winchester and F. L. Wills (Summary of Contents), *J.*, XXXII., 1928, May, p. 414.
Optical systems for photographic surveying (Abstract of British patent 282422), *J.*, XXXII., 1928, Sept., p. 833.
Experiments in air photography by night carried out at Le Bourget (Abstract from *L'Echo de Paris*, 21/2/28), *J.*, XXXII., 1928, Sept., p. 833.

SURVEY, AIR.
The optical transformation of projections and its application to mapping from air photographs (Abstract from *Trans. Roy. Soc. S. Africa*, XIV., pp. 51-78), *J.*, XXXII., 1928, Feb., p. 151.

TAIL PLANES, *see* Control of Aeroplanes, Tail Planes and Elevators.

TAYLOR, H. B., A.F.R.Ae.S.
High-speed compression-ignition engine research, *J.*, XXXII., 1928, July, pp. 555-595.

TAYLOR MEDAL.
Offer by Mrs. Taylor, *J.*, XXXII., 1928, April, p. 239.

TAYLOR, R. C., A.F.R.Ae.S.
The alignment and inspection of components, *J.*, XXXII., 1928, August, pp. 721-740.

TELEVISION, *see* Wireless.

TORPEDO-CARRYING AIRCRAFT, *see* Bombs and Ballistics; Seaplanes.

TUCKER, W. S., D.Sc., A.M.I.E.E.
The problem of noise in civil aircraft and the possibilities of its elimination, *J.*, XXXII., 1928, March, pp. 185-205.

TWO-STROKE ENGINES, *see* Engines, Two-Stroke.

UNDERCARRIAGES.
Bendix wheel and brake (Abstract from *Aviation*, 28/11/27), *J.*, XXXII., 1928, Sept., p. 829.
Oleo gears for aircraft, E. E. Aldrin (Abstract from *Mech. Eng.*, Nov., 1927), *J.*, XXXII., 1928, Sept., p. 829.

USBORNE PRIZE.
Award, *J.*, XXXII., 1928, Feb., p. 92.

VARIABLE PITCH AIRSCREWS, *see* Airscrews, Variable Pitch.

VIBRATION.
Vibrographs for the determination of vibrations of motor vehicles (Abstract from *Motorwagen*, XXX., 20/8/27), *J.*, XXXII., 1928, Sept., 1928.

VORTEX THEORY, *see* Aerodynamics.

VYVYAN, AIR VICE-MARSHAL SIR VYELL, K.C.B., D.S.O.
Elected Vice-President, 1928-29, of Royal Aeronautical Society, *J.*, XXXII., 1928, May, p. 419.

WELDING, *see* X-Rays; Aeroplanes, Design of Construction.

WILKINSON, CAPTAIN G. S.
Schneider trophy engine design, *J.*, XXXII., 1928, Sept., pp. 768-776.
Presentation of silver medal to, *J.*, XXXII., 1928, Sept., p. 743.

WIND TUNNELS.
A comparison of propeller and centrifugal fans for circulating the air in a wind tunnel, F. E. Weick (Summary of *N.A.C.A. Technical Note* No. 281), *J.*, XXXII., 1928, July, p. 634.
An automatic speed control for wind tunnels, A. F. Zahm (Summary of *N.A.C.A. Technical Note* No. 278), *J.*, XXXII., 1928, July, p. 634.
Improvement of flow in wind channels, C. Wieselberger (Abstract from *J. Soc. Mech. Eng., Tokyo*, 1925), *J.*, XXXII., 1928, Sept., p. 827.
A serious inconvenience in open aerodynamic tunnels, E. Herrara (Abstract from *W. Int. Air. Cong., Rome*, 1927), *J.*, XXXII., 1928, Sept., p. 828.
Wave-making apparatus for test tanks (Abstract from *Z.V.D.I.*, 13/8/27), *J.*, XXXII., 1928, Sept., p. 828.
The effect of the static pressure gradient on the drag of a body tested in a wind tunnel (Summary of *R. & M.* No. 1158), *J.*, XXXII., 1928, Nov., p. 971.

A theoretical estimate of the pressure gradient in a wind tunnel (Summary of *R. & M.* No. 1159), *J.*, XXXII., 1928, Nov., p. 971.

Variable density wind tunnel (Summary of *R. & M.* No. 1149), *J.*, XXXII., 1928, Nov., p. 971.

The effect of the walls in closed type wind tunnels, G. T. Higgins (Abstract from *N.A.C.A. Report* No. 275), *J.*, XXXII., 1928, March, p. 230.

Research on channel wall interference, J. H. Parkin, J. E. B. Shortt and C. G. Heard (Abstract from *Aeronautical Research Paper* No. 17, August, 1926), *J.*, XXXII., 1928, March, p. 232.

The new aerodynamic laboratory of the University of Toronto, J. H. Parkin (Abstract from *Aeronautical Research Paper* No. 16, June, 1927), *J.*, XXXII., 1928, March, p. 232.

The one-foot wind tunnel at the National Physical Laboratory; including particulars of calibration with a pitot tube and vane anemometer at low speeds, L. F. G. Simmons and L. J. Jones (Abstract from *R. & M.* No. 1103), *J.*, XXXII., 1928, May, p. 411.

WIRELESS.

A popular guide to radio, B. F. Dashiell (Summary of Contents), *J.*, XXXII., 1928, July, p. 634.

The production and utilisation of television signals, F. Gray, J. W. Horton and R. C. Mathes (Abstract from *Bell Sys. Tech. J.*, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 835.

Television, H. E. Ives (Abstract from *Bell Sys. Tech. J.*, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 835.

Radio transmission system for television, E. L. Nelson (Abstract from *Bell Sys. Tech. J.*, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 835.

Wire transmission system for television, D. K. Gennett and E. I. Green (Abstract from *Bell Sys. Tech. J.*, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 834.

Synchronisation of television, H. M. Stoller and E. R. Morton (Abstract from *Bell Sys. Tech. J.*, Oct., 1927), *J.*, XXXII., 1928, Sept., p. 834.

Short undamped electrical waves, K. Kohl (Abstract from *Ann. d. Phys.*, 1928), *J.*, XXXII., 1928, Sept., p. 833.

Disturbances caused by ignition circuits in the wireless circuits on aeroplanes, F. Frank (Abstract from IV. *Int. Air. Cong., Rome*, 1927), *J.*, XXXII., 1928, Sept., p. 834.

Propagation of short waves, E. Quack (Abstract from *Z.f. Hochfrequenz Technik.*, Dec., 1926), *J.*, XXXII., 1928, Feb., p. 152.

Tests of short wave sets in aircraft (Abstract from *Les Ailes*, 21/7/27), *J.*, XXXII., 1928, Feb., p. 153.

Recent progress in telephotography and television, C. W. Kollatz (Abstract from *Z.V.D.I.*, 12/2/27), *J.*, XXXII., 1928, Feb., p. 154.

Wireless direction finding and directional reception, R. Keen (Summary of Contents), *J.*, XXXII., 1928, April, p. 335.

WOOD, *see* Materials, Wood.

WOODWARD, B.

Hon. Solicitor, Resignation of, *J.*, XXXII., 1928, Nov., p. 912.

WRIGHT, ORVILLE.

Address to, *J.*, XXXII., 1928, Aug., p. 647.

WRIGHT, WILBUR.

Correspondence with Secretary, Smithsonian, *J.*, XXXII., 1928, June, p. 422.

Correspondence on the original Wright biplane, *J.*, XXXII., 1928, April, p. 241.

Anniversary dinner announcement, *J.*, XXXII., 1928, Dec., p. 977.

WRIGHT, WILBUR, MEMORIAL LECTURE.

List of guests at dinner, *J.*, XXXII., 1928, Aug., p. 646.

The 16th Wilbur Wright Memorial Lecture, F. Handley Page, C.B.E., F.R.Ae.S., *J.*, XXXII., 1928, Aug., p. 648-705.

X-RAYS.

Recent application of X-rays (Abstract from *J. Sc. Inst.*, Feb., 1928), *J.*, XXXII., 1928, Sept., p. 841.

ZEPPELINS, *see* Airships.